



BATTERY CHARGER

Powerful Solutions Partner

Micropower Group is a complete system supplier of industrial Lithium-Ion batteries, battery chargers and power supplies. With own production and R&D, we take responsibility for the whole chain where we develop, design and manufacture and supply battery and battery charging products and systems to customers and distributors worldwide.

Micropower Group AB
Gullhallavägen 20A
SE-352 50 Växjö Sweden

Phone: +46 (0)470 727 400
sales@micropower.se
www.micropower-group.com

MICROPOWER ST

HIGH EFFICIENCY CHARGER WITH USER-FRIENDLY INTERFACE

MICROPOWER GROUP[™]
POWERFUL SOLUTIONS PARTNER

MICROPOWER ST

HIGH EFFICIENCY CHARGER WITH USER-FRIENDLY INTERFACE

Micropower ST features the well known user interface from Micropower that is designed with the operator in mind. Simple installation and quick configuration enable electrical operation to be up and running in no time. The charger series features high efficiency and a compact and robust housing, reducing costs and CO₂ emissions.

The series consist of 3-phase chargers with capacities up to 9kW and work as stand-alone. They are available for 380-440VAC up to 16A, with secondary voltage from 24V up to 80V. Model program is optimized for Lead-acid and Lithium-ion batteries with CAN-bus communication. All models are CE approved.

Micropower ST has pre-mounted wall bracket and feet as standard, meaning that no additional accessories are required for installation. Cable holder is integrated and can be pulled out or removed if needed. Configuration is made easily with GET app throughout the charger fleet. With Micropower ST, you get minimal installation and configuration down-time and total cost.



Micropower ST chargers

- Maximum flexibility with multiple charging algorithms
- Embedded software functionality for Dynamic Power Limitation and Best Battery Choice
- Compatible with GET fleet management system
- Nominal voltage can be lowered (min. 6V)
- Optimized air flow and coating
- Low stand-by power <5W
- Full range of accessories (e.g., air pump, BMU, aqumatic)





High efficiency
Efficiency rate >96%



Maximum flexibility
Multiple charging algorithms



Simple & fast installation
Pre-mounted accessories



Low stand-by power
Stand-by power <5W



Optimized air flow
Rugged cooling concept



High power factor
Power factor >0.99

Micropower ST					
	Primary Voltage	Secondary Voltage	Current	Power	Ingress Protection
Micropower ST17*	3x380-440V	24V	60A	1,7kW	IP21
Micropower ST20	3x380-440V	24V	80A	2,3kW	IP21
Micropower ST30	3x380-440V	24V	100A	3kW	IP21
Micropower ST40	3x380-440V	24V	130A	4kW	IP21
Micropower ST45	3x380-440V	24V	150A	4,5kW	IP21
Micropower ST60	3x380-440V	24V	200A	6kW	IP21
Micropower ST50	3x380-440V	36V	105A	5kW	IP21
Micropower ST60	3x380-440V	36V	130A	6kW	IP21
Micropower ST65	3x380-440V	36V	150A	6,5kW	IP21
Micropower ST70	3x380-440V	36V	170A	7kW	IP21
Micropower ST30	3x380-440V	48V	60A	3kW	IP21
Micropower ST50	3x380-440V	48V	80A	5kW	IP21
Micropower ST60	3x380-440V	48V	100A	6kW	IP21
Micropower ST70	3x380-440V	48V	130A	7kW	IP21
Micropower ST60	3x380-440V	80V	60A	6kW	IP21
Micropower ST80	3x380-440V	80V	80A	8kW	IP21
Micropower ST90	3x380-440V	80V	90A	9kW	IP21

**Available only for Lead-acid batteries
More information about Micropower ST at micropower-group.com*